Overview

HP StoreOnce Backup

Does data growth leave you struggling with complex, distributed, and costly data protection? Is some of your data not being protected because backup windows aren't long enough or backup jobs are failing? Keep pace with HP StoreOnce Backup; disk-based, deduplicating, backup systems. Use StoreOnce deduplication, available in a range of scalable dedicated appliances and flexible virtual appliances, with your choice of backup and recovery software to deliver robust enterprise-wide data protection. HP StoreOnce Backup systems reduce the amount of backup data you need to store by up to 95% and with our scale-out architecture you can pay-as-you-grow to retain up to 34 petabytes of data in a single pool. HP StoreOnce Backup systems provide automated backup and DR operations with all the features you'd expect from disk backup, together with secure data retention with built-in data encryption for Data at Rest and Data in Flight**.

HP StoreOnce Catalyst delivers industry-leading backup speeds of up to 139 TB/hr* enabling you to meet shrinking backup windows, plus Federated Deduplication across the enterprise so you choose where to deduplicate data. Federated Catalyst (under registered release, see your HP representative or reseller for details) allows Catalyst stores to span nodes to create fewer, larger stores which simplifies backup management in large environments.

Choose between powerful dedicated appliances for larger offices and data centers, flexible virtual appliances for highly virtualized or smaller and remote offices and Data Protector software with StoreOnce Federated Deduplication and StoreOnce Catalyst when you don't want to use a dedicated deduplication appliance. With HP's single StoreOnce deduplication technology, managing the movement of data across the enterprise has never been easier.

Protect data from unauthorized access through Data at Rest encryption, Data in Flight** encryption and secure erase functionality for disks that are lost, stolen or discarded.

Seamlessly integrating with your current backup applications, StoreOnce Backup provides flexible integration into both Fibre Channel (FC) and iSCSI SAN, GbE, 10GbE or virtualized and other environments. Catalyst over Fibre Channel (under registered release, see your HP representative or reseller for details) provides all the ISV control and source side deduplication benefits of current StoreOnce Catalyst but via your Fibre Channel fabric.

*Actual performance is dependent upon configuration data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

What's New

From June 2014 the HP StoreOnce Backup family features:

- StoreOnce Federated Catalyst, supported by HP Data Protector 8.11 and above and Symantec NetBackup 7.5 and 7.6, for large data centers wanting simplified management with failover and autonomic restart
- StoreOnce Catalyst and OST over Fibre Channel to enable you to use your existing infrastructure for improved manageability and performance
- A new, smaller HP StoreOnce VSA product configurable up to 4TB for virtualized environments
- Support for Microsoft Hyper-V for StoreOnce VSA, in addition to current VMware support
- Additional security features with Data in Flight encryption ** (via IPSec) and Data at Rest encryption for NAS targets on all
 products
- User selectable non-deduping NAS (and VTL) shares for when you have data that doesn't deduplicate well or want to use source side deduplication in backup software
- HP Integrity Plus to ensure your data is always recoverable in its original form



Overview

- VLAN tagging across the entire product portfolio
- CommVault Simpana aware NAS shares to optimize deduplication ratio and performance
- Phone home capability using support automation with STaTS
- VTL options extended with IBM TS3500 tape library emulation and IBM TD3 tape drive emulation
- Simple, fast TSM NAS device design providing fast backup and restore
- Granular Recovery Technology support in Symantec Net Backup
- ** At this point, Data in Flight encryption via IPSec is supported on StoreOnce Catalyst only. In addition, write performance may be impacted, however performance improvements should be seen after first ingest.



HP StoreOnce Backup Models

HP StoreOnce Backup Models

Target deployment	Product options	Usable capacity (before dedupe)
Enterprise data center	HP StoreOnce 6500	Scale from 72 to 1728 TB usable
	HP StoreOnce 4900	Scale from 36 to 216 TB usable
Mid-size data center or large regional	HP StoreOnce 4700	Scale from 20 to 160 TB usable
office	HP StoreOnce 4500	Scale from 16 to 124 TB usable
Small data center or remote office	HP StoreOnce 2700	5.5 TB usable
	HP StoreOnce VSA	4 or 10 TB usable depending on product

For help with choosing the most appropriate StoreOnce Backup systems for your specific environment, we recommend you talk to your HP partner or sales advisor about using the HP Storage Sizing Tool which can be downloaded from the Downloads section of www.hp.com/go/d2dsizer

For previous versions of HP StoreOnce Backup models please refer to:

http://h18004.www1.hp.com/products/quickspecs/13218_div/13218_div.html

NOTE: In all cases, actual performance is dependent upon configuration, data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

To optimize capacity utilization and in accordance with performance requirements, your capacity requirements should be planned following Recommended Configuration guidelines:

http://h20565.www2.hp.com/portal/site/hpsc/public/psi/manualsResults/?sp4ts.oid=5196525



Common Features and Benefits

Common Features and Benefits

nd benefits apply to all HP StoreOnce Backup products. Where differences exist between models, they are on of the benefit.
Keeping pace with data growth, HP StoreOnce Backup offers scale-out architecture that allows you to pay as you grow.
Choose from dedicated backup appliances to match the capacity and performance requirements of larger offices and data center deployments. For virtualized environments and smaller and remote offices, HP StoreOnce is also available as a virtual appliance for virtualized data protection that utilizes existing infrastructure.
Whatever the HP StoreOnce solution that meets your needs, you can choose capacity points that start small and scale-out - just configure for a higher capacity (with StoreOnce VSA), or use upgrade kits with expansion shelves (4500, 4700) or simply add more disks (4900, 6500) or additional nodes (StoreOnce 6500 only).
*To optimize capacity utilization and in accordance with performance requirements, your capacity requirements should be planned following Recommended Configuration Guidelines
Please refer to the latest Concepts and Configuration Guide for more information: http://h20565.www2.hp.com/portal/site/hpsc/public/psi/manualsResults/?sp4ts.oid=5196525
HP StoreOnce deduplication reduces the disk space required to store backup data sets by typically 20x without impacting backup performance. Retaining more backup data on disk for longer, enables greater backup data accessibility for rapid restore of lost or corrupt files and reduces impact on business productivity while providing cost savings in disk storage, IT resource, physical space, and power requirements.
For example, using HP StoreOnce deduplication with a fully configured HP StoreOnce 6500 can provide extended data retention on the same disk footprint for up to 34 PBs of backup data.
Industry leading performance - protect large amounts of data within short backup windows with HP StoreOnce high performance multi-streaming capability. Choose Ethernet (to Catalyst, iSCSI VTL or NAS targets) or Fibre Channel (To Catalyst or VTL targets) to integrate into your network environment. Catalyst over Fibre Channel (under registered release, see your HP representative or reseller if interested) provides all the ISV control and source side deduplication benefits of current StoreOnce Catalyst but via your Fibre Channel fabric.
Consolidate multiple parallel backup streams via standard Ethernet or Fibre Channel network to a single disk-based system to achieve industry-leading aggregate backup speeds of up to 139 TB* per hour with the top of the range HP StoreOnce 6500 and HP StoreOnce Catalyst.
You can enhance performance by deduplicating anywhere; at the application source or at the backup server or at the target HP StoreOnce Backup appliance. Federated Deduplication means you can deduplicate where it makes sense for your business, not where technology vendor limitations mandate. Federated Deduplication is available across all new HP StoreOnce Backup systems, in conjunction with all applications that support StoreOnce Catalyst.



Common Features and Benefits

	*Actual performance is dependent upon configuration data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.
Reducing the time to restore data	HP offers industry-leading restore speeds with its StoreOnce product line; up to 119% of ingest performance in the high end appliance. This ensures when you have a system failure you can restore your data in the shortest time possible and minimize downtime
Freeing up your IT resources	HP StoreOnce Backup allows you to reduce the complexity of your backup environment by consolidating and automating all of your backup processes using a single HP StoreOnce Backup system, reducing the time spent managing multiple data protection devices and processes, reducing cost and simplifying your data protection environment. What's more, for organizations that have branch and sales offices, HP StoreOnce Backup with supported backup software helps you automatically protect the data at these sites without the need for trained staff, or dedicated hardware if you use StoreOnce VSA, reducing the risk of important data loss.
	With HP StoreOnce Catalyst, movement of deduplicated data across the enterprise is even easier. There's no need to deduplicate and rehydrate at each step, data can be replicated from these sites to a central data center or disaster recovery site in deduplicated form, reducing network bandwidth requirements. All backup and replication jobs may be seamlessly managed by the backup application at your central data center.
	StoreOnce Federated Catalyst (under registered release, see your HP representative or reseller if interested) allows Catalyst stores to span nodes on the StoreOnce 6500 to create fewer, larger stores simplifying backup management in large environments yet continuing to provide failover and autonomic restart to ensure your backups do not fail.
Lowering the cost of data protection	With a typical deduplication ratio of 20:1, more backup data can be stored in a smaller footprint meaning less capacity needs to be purchased.
	HP StoreOnce deduplication also enables network efficient offsite data replication. All HP StoreOnce Backup systems use StoreOnce Federated data deduplication to significantly reduce the amount of data that needs to be replicated, enabling the use of lower bandwidth, lower cost links to transmit data offsite.
	StoreOnce enabled replication opens the way to cost-effective centralized backup from remote sites or branch offices, and delivers a consolidated disaster recovery solution for the data center.
Protecting your remote offices	HP StoreOnce Backup is ideal for remote offices - providing a local backup target and an efficient deduplicated local data repository. If you are running a virtual server environment you can use the flexibility and simplicity of the HP StoreOnce VSA, or choose dedicated appliances such as the StoreOnce 2700 depending on the infrastructure, performance and management requirements of your remote office deployments.
	HP StoreOnce also enables a Federated Deduplication solution for replication of backup to other sites, including the consolidation of backup and DR from multiple remote offices to the data center. Multiple StoreOnce appliances and virtual machines can replicate to a single central StoreOnce appliance with for example 384 remote offices replicating to a single HP StoreOnce 6500 target at the data center.
	For very small remote offices which don't need a local store for fast recovery StoreOnce Catalyst may be installed on a local server at no cost. This performs deduplication of new or changed data and sends



Common Features and Benefits

	the data over the WAN for disaster recovery.
	With HP StoreOnce Catalyst the movement of data between sites is configured and controlled using your backup application as a single interface for the data protection solution. StoreOnce Catalyst supports a range of flexible configurations that enable the concurrent movement of data from one site to multiple sites, and the ability to cascade data around the enterprise (sometimes referred to as multi-hop).
Reducing the risk to Data at Rest and Data in Flight**	With high-profile reports of data loss, and increasing levels of government legislation concerning data security, companies are seeking to encrypt their data. The HP StoreOnce Security Pack provides for Data at Rest and Data in Flight encryption which prevents unauthorized access to data on disk that has been lost, stolen, or discarded, as well as, data being transmitted between devices. It also offers secure erase functionality. These functions can be configured on an application or store basis and are not restricted to the whole appliance. HP StoreOnce Security pack is available for all HP StoreOnce Backup products.
	** At this point, Data in Flight encryption via IPSec is supported on StoreOnce Catalyst only. In addition, write performance may be impacted, however performance improvements should be seen after first ingest.
Seamlessly integrating into your environment	The HP StoreOnce Backup systems offer flexibility with NAS (NFS, CIFS), iSCSI and FC virtual tape libraries (VTL) and StoreOnce Catalyst targets for backup applications. This means that you can easily integrate StoreOnce Backup into your existing IT environment with minimum disruption. Supported by all leading backup applications, this allows each StoreOnce Backup system to be installed and used without additional investment in software.
	The HP StoreOnce Backup systems are easily rack-mounted in standard racks, while the leading performance HP StoreOnce 6500 is pre-integrated into an HP 42U rack for efficient use of space in the data center.
Delivering reliable backup and restore	HP StoreOnce Backup systems can enhance reliability by automating and consolidating backup to reduce operator intervention and consequently user-generated errors.
	HP understands the need for highly reliable, highly available data protection. Consequently HP StoreOnce Backup systems feature hardware RAID 6 (RAID 5 on StoreOnce 2700) to reduce the risk of data loss due to disk failure. The high performance HP StoreOnce 6500 extends this reliability with autonomic restart and no single point of failure in your backup process by offering redundancy at every level.
	In any storage system it is essential to ensure that the integrity of the data stored is maintained so data can be recovered exactly as it was written and Storage Administrators live in fear of corrupted backups only discovered when they need to restore their data StoreOnce appliances have been designed with the necessary technology which delivers this essential high degree of data protection. HP has unique intellectual property which protects data throughout its lifecycle when stored on the HP StoreOnce appliance. HP StoreOnce Integrity Plus is a market leader in data integrity. HP StoreOnce Backup technology has inbuilt protection which not only checks data at many stages both in the backup process and when recovered but also continually checks the data when at rest, correcting errors if necessary.



HP StoreOnce VSA Backup

HP StoreOnce VSA Backup



The HP StoreOnce VSA extends the StoreOnce portfolio with the agility and flexibility of StoreOnce delivered as a virtual appliance, removing the need to install dedicated hardware. It offers flexibility for deployment in virtualized environments and a cost effective backup target for small and remote or branch offices.

The StoreOnce VSA is supported to run on all bare metal versions of VMWare 5.x and Windows Server 2012 Hyper-V R2. Once installed and powered on, it is used by backup and recovery applications as a backup target, in the same way as physical StoreOnce appliances.

Overview Product Specifications

	VSA 4 TB	VSA 10 TB	
Form Factor	Virtual Appliance	Virtual Appliance	
Total capacity (usable)	1 to 4 TB	1 to 10 TB	
NAS, VT write performance (max)	300 GB/hour	300 GB/hour	
Catalyst write performance (max)	500 GB/hour	500 GB/hour	
Max fan-in/backup targets	1	1	

See Detailed Technical Specifications later in this document.

Key features and benefits of the VSA:

- Exceptional value: install into existing virtual environments for software defined deduplicating backup storage. The StoreOnce VSA license to use (LTU) is all inclusive. It includes HP StoreOnce Catalyst capability, for seamless data movement across the enterprise, full replication target capabilities, all the security features plus 3 years HP support for peace of mind.
- Easy to manage locally: StoreOnce VSA can be managed using a local graphical interface (GUI) or the StoreOnce Enterprise Manager application. The local GUI is the same, well proven, interface used to manage the HP StoreOnce Backup appliances and provides a consistent experience for enterprise-wide deployments.
- Easy to manage across the enterprise: for users with multiple StoreOnce appliances and multiple StoreOnce VSAs, StoreOnce Enterprise Manager (SEM) enables centralized management of up to 400 StoreOnce appliances, including those located across multiple sites.
- Guided installation: Installation and configuration is simple using StoreOnce Enterprise Manager guiding the user through the necessary installation steps. For users without access to StoreOnce Enterprise Manager, installation using the native hypervisor tools is possible. StoreOnce VSA can be deployed remotely by the skilled staff in the data center without ever needing to visit the location where it is to be deployed

Compatibility:

- HP StoreOnce VSA can be configured in Ethernet environments with StoreOnce Catalyst, VTL, NFS and CIFS backup targets.
- For users wanting to integrate with a Fibre Channel environment a physical StoreOnce Backup appliance should be used.
 - StoreOnce VSA is supported for use with VMware VMotion and VMware Storage VMotion.
 - It is not supported for use with the following VMware features: VMware High Availability (HA), VMware Fault Tolerance (FT), VMware Distributed Resource Scheduler (DRS), VMware Distributer Power Manager (DPM), and



HP StoreOnce VSA Backup

VMware Site Recovery Manager (SRM)

Configuration notes:

HP StoreOnce VSA runs on bare metal VMware and Hyper-V hypervisors that abstract and allocate processor, memory, storage and networking resources to StoreOnce VSA and other virtual machines. Therefore, to ensure that the StoreOnce VSA runs with acceptable level of performance, we recommend that it configured on systems with the following minimum virtual resources:

Configured capacity	HDD for vdisks	Memory (min)	Processor (min)	NIC (min)
1-4 TB	at least 3 disks configured asRAID5 recommended	16GB vRAM	4 vCPUs	2 x 1GbE
5-10 TB	at least 3 disks configured asRAID5 recommended	32GB vRAM	4 vCPUs	2 x 1GbE

For VMware

- It is recommended that the vdisks used to provide capacity for StoreOnce VSA is in a .vmdk format from a VMFS3 or VMFS5 data store. NFS data stores are supported but careful consideration of the performance implications should be made before deployment. RAW disks are not supported to provide capacity for StoreOnce VSA.
- Typical Installation will take 20 minutes depending on the installation method used and the environment. The guided installation through StoreOnce Enterprise Manager may take longer than the manual installation using the vSphere Client. The time depends on the connection between StoreOnce Enterprise Manager and the target ESXi host. Other factors that determine the installation time are the storage used, the host platform and the storage capacity configured.
- If the VMware host has AMD CPUs some configuration is needed to run the StoreOnce VSA. It is necessary to create a single host cluster with the EVC (Enhanced VMotion Compatibility) mode set to AMD generation 3 or earlier.

For Hyper-V

- StoreOnce VSA requires NTFS storage. There is no support for NFS data stores or pass-through disks. StoreOnce VSA can run on all processors supported for Windows server Hyper-V provided the performance and quantity meets the minimum requirements for the capacity of StoreOnce VSA configured.
- Unzipping the virtual machine file can take up to 15 minutes. Installation time depends upon how heavily the Hyper-V server is being used and how much capacity is configured.
- StoreOnce VSA supports maximum of ten 1 TB fixed type virtual hard disks (.VHDX or .VHD) on Hyper-V. At least one such virtual hard disk must be added before powering on a newly deployed StoreOnce VSA
- StoreOnce VSA supports use of Hyper-V Live Migration during backup and recovery operations.

For all Hypervisors

- The StoreOnce VSA is fully functional from its first installation with a 60-day instant-on period. If no license key is added within 60 days of start up all backup targets become read-only. Once a license key is added full functionality is returned.
- To meet performance requirements, your HP StoreOnce VSA implementation should be carefully planned according to your deployment. Please refer to: Recommended Configuration Guidelines
 http://bizsupport1.austin.hp.com/bc/docs/support/SupportManual/c03116530/c03116530.pdf or Best Practices
 http://bizsupport1.austin.hp.com/bc/docs/support/SupportManual/c03116530/c03116530.pdf or Best Practices
 http://bizsupport1.austin.hp.com/bc/docs/support/SupportManual/c03116530/c03116530.pdf or Best Practices
 http://bizsupport1.austin.hp.com/bc/docs/support/SupportManual/c02511912/c02511912.pdf#
- Capacity upgrades are non-disruptive. Adding more memory and processor resources requires the StoreOnce VSA to be restarted so these upgrades should be done outside backup times.
- The StoreOnce VSA requires significant disk I/O for backup and recovery operations. The number, type and configuration of hard disks that provide capacity for the vdisks is an important choice. The number of disks and the type of disk will



HP StoreOnce VSA Backup

significantly affect the I/O potential and consequently backup and recovery performance. Consideration should be given to the design of the Data Stores used for the vdisks for the StoreOnce VSA and the Data Stores used to provide vdisks for other guests on the hypervisor. Ideally, the physical HDDs used for vdisks for the StoreOnce VSA should be isolated from the physical HDDs for the vdisks for other guests. The underlying HDDs should at least be configured in a RAID5 set for protection, particularly if backup data copy/replication is not used.

• It is also recommended that the effect of the resource consumption of the StoreOnce VSA on other virtual machines/applications running on the same pool of resources is assessed. This impact assessment should also consider any backup software components, running in virtual machines, which will require resources to execute backup and recovery jobs.

Warranty

The StoreOnce VSA includes 3 years 9x5 phone support.

Purchasing information:

Product name	Part-number	Description	Includes
HP StoreOnce VSA 4 TB 3-year E-LTU	D4T77AAE	HP StoreOnce VSA to enable up to 4 TB of usable disk storage (Electronic license)	 StoreOnce Catalyst capability Replication capability Three (3) year HP support Link to download virtual appliance image Electronic (email) delivery of license key entitlement
HP StoreOnce VSA 4 TB 3-year LTU	D4T77A	HP StoreOnce VSA to enable up to 4 TB of usable disk storage	 StoreOnce Catalyst capability Replication capability Three (3) year HP support Link to download virtual appliance image Paper delivery of license key entitlement
HP StoreOnce VSA 10 TB 3-year E-LTU	TC458AAE	HP StoreOnce VSA to enable up to 10 TB of usable disk storage (Electronic license)	 StoreOnce Catalyst capability Replication capability Three (3) year HP support Link to download virtual appliance image Electronic (email) delivery of license key entitlement
HP StoreOnce VSA 10 TB 3-year LTU	TC458A	HP StoreOnce VSA to enable up to 10 TB of usable disk storage	 StoreOnce Catalyst capability Replication capability Three (3) year HP support Link to download virtual appliance image Paper delivery of license key



HP StoreOnce VSA Backup

	entitlement


Licensing Notes:

- 1 source appliance can replicate to a single HP StoreOnce VSA
- The StoreOnce VSA license enables use as a replication target and does not require an additional replication license.
- Catalyst Stores can be created on the StoreOnce VSA without an additional license. The capability to create Catalyst Stores and execute Catalyst Copy operations is included in the StoreOnce VSA license.
- Includes all the features in the StoreOnce Security Pack
- Note that, with Catalyst licenses, additional StoreOnce replication licenses may be required if you also intend to replicate between VTL and/or NAS targets in addition to Catalyst targets. In this case, a replication license is required for each target backup system, or couplet (6500) no VTL/NAS replication license is required for source systems.
- Whilst the StoreOnce VSA license enables users to create Catalyst Stores and act as a replication target, configuration of the Catalyst Stores and Replication Targets is covered in the optional configuration services.
 - Data Replication Service: http://dccappshares01.austin.hp.com/SALES_LIBRARY-PRO/CONCENTRA/Autofed%20Content/UCM/UCM-Concentra/Pub/ucm4AA4-3945ENW/4AA4-3945ENW.pdf
 - Catalyst Solution service: http://dccappshares01.austin.hp.com/SALES_LIBRARY-PRO/CONCENTRA/Autofed%20Content/UCM/UCM-Concentra/Pub/ucm4AA4-4489ENW/4AA4-4489ENW.pdf



HP StoreOnce 2700 Backup

HP StoreOnce 2700 Backup



HP StoreOnce 2700 delivers entry-level disk-based backup and disaster recovery that's ideal for smaller remote or branch offices and data centers. This 1U Backup system offers 5.5 TB of usable capacity (8 TB RAW) and speeds of up to 3.7 TB/hour* with StoreOnce Catalyst, allowing a full 11 TB* of backup to be completed in just 4 hours.

Overview Product Specifications

	StoreOnce 2700
Form Factor	1U Rack
Total capacity (raw)	8 TB
Total capacity (usable)	5.5 TB
Write performance (max)	1.3 TB/hour
Catalyst performance (max)	3.7 TB/hour
Max fan-in/backup targets	8

*See Detailed Technical Specifications and Physical Dimensions later in this document for more detail **NOTE:** *Actual performance is dependent upon configuration, data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

Compatibility:

HP extensive compatibility testing program assures that your HP Backup Systems work with leading servers, operating systems, and backup applications, including those not manufactured by HP.

For compatibility details on specific servers and the latest hardware compatibility information, please refer to: http://www.hp.com/go/ebs

Warranty

The StoreOnce 2700 includes a1-year, next-day, parts exchange, limited warranty for the HP plus 9x5 phone support for the duration of the warranty.

Purchasing information:

Also refer to Software Options

Product name	Part-number	Description	Includes
HP StoreOnce 2700	BB877A	HP StoreOnce 2700 Backup with 8 TB of RAW disk storage	 HP 2700 Backup system 4x 2 TB Hot swap hard drives Ethernet cable(Cat 5e) 3m (x2) Power cable (IEC 320 C13 Connector for Rack PDU) Installation poster HP StoreOnce Documentation CD (contains installation wizard, device drivers, and documentation, all




HP StoreOnce 2700 Backup

	localized in multiple languages)



HP StoreOnce 4500 Backup

HP StoreOnce 4500 Backup



HP StoreOnce 4500 is designed for small to midsized data centers and as a replication target device for up to 24 remote and branch offices. The StoreOnce 4500 delivers a scalable 2U to 8U solution from 16 to 124 TB of usable capacity (24 to 168 TB RAW) using a simple and cost effective capacity upgrade. Meet backup windows with speeds of up to 14 TB/hour* using HP StoreOnce Catalyst for protection of up to 56TB* of data in a 4-hour window.

Overview Product Specifications

	StoreOnce 4500
Form Factor	2U to 8U Scalable Rack
Total capacity (raw)	Up to 168 TB
Total capacity (usable)	Up to 124 TB
Write performance (max)	5.4 TB/hour
Catalyst performance (max)	14 TB/hour
Max fan-in/backup targets	24

See Detailed Technical Specifications and Physical Dimensions later in this document for more details **NOTE:** *Actual performance is dependent upon configuration, data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

Scalability

Start out with the HP StoreOnce base unit at 2U with 24 TB of RAW capacity (16 TB usable). When you're ready, simply purchase up to 3 additional storage expansion/capacity upgrade kits to increase available capacity to a total of 168TB RAW (124 TB usable). You can add 24 or 48TB storage expansions and it is possible to add a mixture of both. A fully configured StoreOnce 4500 is 8U.

Compatibility:

HP extensive compatibility testing program assures that your HP Backup Systems work with leading servers, operating systems, and backup applications, including those not manufactured by HP.

For compatibility details on specific servers and the latest hardware compatibility information, please refer to: http://www.hp.com/go/ebs

Configuration notes:

- HP StoreOnce 4500 Backup systems can be connected to the servers they protect via a 10Gb Ethernet network or 8Gb Fibre Channel.
- They are supported on all 10Gb Ethernet network interface cards (NICs) and switches, dependent on product. 1Gb Ethernet network connections are also supported for sites without 10Gb Ethernet networks (with reduced performance)
- HP StoreOnce Backup systems are also supported on 100 base-T Ethernet networks, for connection for the Web GUI and CLI access, such as a management network in a Data Centre.
- This product is not supported on networks using slower Ethernet technology

HP StoreOnce 4500 Backup

Warranty

Hewlett-Packard provides a 1 year parts exchange, 1 year labor, 1 year on site, normal business hours, next business day response for StoreOnce 4500, StoreOnce 4700, StoreOnce 4900 and StoreOnce 6500 Backup systems, plus 9x5 phone support for the duration of the warranty.

Purchasing information:

Product name	Part-number	Description	Includes
HP StoreOnce 4500 Backup	BB878A	HP StoreOnce 4500 Backup with 24 TB of RAW disk storage	 HP StoreOnce 4500 Backup system (12 x 2 TB disks) Ethernet cable(Cat 5e) 3m (x2) 2 x Power cords (with IEC 320 C13 plug for Rack PDU) Installation poster HP StoreOnce Documentation CD (contains installation wizard, device drivers, and documentation, all localized in multiple languages)
HP StoreOnce 4500/4700 24 TB Upgrade Kit	BB881A	HP StoreOnce 4500/4700 Backup upgrade kit - a D2600 base enclosure offering additional 24 TB of RAW disk storage	 D2600 storage enclosure with 12 x 2 TB discs, redundant power supplied and fan modules. Rack-mounting hardware kit 0.5m mini-SAS cable + 2m mini-SAS cable Two AC power cords and two PDU interconnect cords Entitlement certificate Installation instructions
HP StoreOnce 4500 48 TB Upgrade Kit	BB909A	HP StoreOnce 4500 Backup upgrade kit - a D2600 base enclosure offering additional 48 TB of RAW disk storage	 D2600 storage enclosure with 12 x 4 TB discs, redundant power supplied and fan modules. Rack-mounting hardware kit 0.5m mini-SAS cable + 2m mini-SAS DH cable Two AC power cords and two PDU interconnect cords Entitlement certificate Installation instructions

Also refer to Software Options to add licenses for:

- HP StoreOnce Replication
- HP StoreOnce Catalyst
- HP StoreOnce Enterprise Manager
- HP StoreOnce Security Pack



HP StoreOnce 4700 Backup

HP StoreOnce 4700 Backup

shown with Upgrade kit

HP StoreOnce 4700 delivers cost-effective, scalable disk-based backup with deduplication for longer term on-site data retention and off-site disaster recovery for larger data centers or regional offices. It also provides a replication target device for up to 50 remote or branch offices. StoreOnce 4700 delivers a scalable 4U to 18U solution from 20 TB to 160 TB of usable capacity (24 TB to 192 TB RAW) and speeds of up to 22TB/hour* with HP StoreOnce Catalyst for protection of over 60 TB* of data in a 4-hour window

Overview Product Specifications

	StoreOnce 4700
Form Factor	4U Scalable Rack
Total capacity (raw)	Up 192 TB
Total capacity (usable)	Up to 160 TB
Write performance (max)	7.6 TB/hour
Catalyst performance (max)	22 TB/hour
Max fan-in/backup targets	50

See Detailed Technical Specifications and Physical Dimensions later in this document for more details **NOTE:** *Actual performance is dependent upon configuration, data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

Scalability

Start out with the HP StoreOnce base unit at 4U with 24TB RAW (20 TB usable) capacity. When you're ready, simply purchase up to 7 additional shelves using the corresponding storage expansion/capacity upgrade kit for up to 192 TB RAW (160 TB) of total usable storage. A fully configured StoreOnce 4700 is 18U.

Compatibility:

HP extensive compatibility testing program assures that your HP Backup systems work with leading servers, operating systems, and backup applications, including those not manufactured by HP.

For compatibility details on specific servers and the latest hardware compatibility information, please refer to: http://www.hp.com/go/ebs

Configuration notes:

- HP StoreOnce 4700 Backup systems can be connected to the servers they protect via a 10Gb Ethernet network or 8Gb Fibre Channel.
- They are supported on all 10Gb Ethernet network interface cards (NICs) and switches, dependent on product. 1Gb Ethernet network connections are also supported for sites without 10Gb Ethernet networks (with reduced performance)
- HP StoreOnce Backup systems are also supported on 100 base-T Ethernet networks, for connection for the Web GUI and



HP StoreOnce 4700 Backup

CLI access, such as a management network in a Data Centre.

• This product is not supported on networks using slower Ethernet technology.

Warranty

Hewlett-Packard provides a 1 year parts exchange, 1 year labor, 1 year on site, normal business hours, next business day response for StoreOnce 4500, StoreOnce 4700, StoreOnce 4900 and StoreOnce 6500 Backup systems, plus 9x5 phone support for the duration of the warranty.

Purchasing information:

Product name	Part-number	Description	Includes
HP StoreOnce 4700 Backup	BB879A	HP StoreOnce 4700 Backup with 24 TB of RAW disk storage	 HP 4700 Backup (includes 2 x 1TB 0S disks) HP 4700 Backup Storage Enclosure (12 x 2TB disks) (with 2m SAS Cable) Ethernet cable(Cat 5e) 3m (x2) 4 x Power cords (with IEC 320 C13 plug for Rack PDU) Installation poster HP StoreOnce Documentation CD (contains installation wizard, device drivers, and documentation, all localized in multiple languages)
HP StoreOnce 4500/4700 24 TB Upgrade Kit	BB881A	HP StoreOnce 4500/4700 Backup upgrade kit - a D2600 base enclosure offering additional 24 TB of RAW disk storage	 D2600 storage enclosure with 12 x 2 TE discs, redundant power supplied and fan modules. Rack-mounting hardware kit 0.5m mini-SAS cable + 2m mini-SAS cable Two AC power cords and two PDU interconnect cords Entitlement certificate Installation instructions

Also refer to Software Options to add licenses for:


- HP StoreOnce Replication
- HP StoreOnce Catalyst
- HP StoreOnce Enterprise Manager
- HP StoreOnce Security Pack



HP StoreOnce 4900 Backup

HP StoreOnce 4900 Backup

shown with Upgrade kit



HP StoreOnce 4900 delivers cost-effective, scalable disk-based backup with deduplication for longer term on-site data retention and off-site disaster recovery for large data centers or regional offices. It also provides a replication target device for up to 50 remote or branch offices. The StoreOnce 4900 delivers a scalable 7U to 12U solution from 36 TB to 432 TB of usable capacity (60 to 560 TB RAW) and speeds of up to 22TB/hour* with HP StoreOnce Catalyst for protection of 74 TBs* of data in a 4-hour window.

Overview Product Specifications

	StoreOnce 4900
Form Factor	7 to 12U Scalable Rack
Total capacity (raw)	Up 560 TB
Total capacity (usable)	Up to 432 TB
Write performance (max)	8.5 TB/hour
Catalyst performance (max)	22 TB/hour
Max fan-in/backup targets	50

See Detailed Technical Specifications and Physical Dimensions later in this document for more details **NOTE:** *Actual performance is dependent upon configuration, data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

Scalability

Start out with the 7U HP StoreOnce base unit with 60TB RAW (36 TB usable) capacity. When you're ready, simply purchase up to 5x 44 TB (36 TB usable) capacity upgrade kits to complete the first two storage drawers for up to 280 TB RAW (216 TB usable).

If more storage is needed, simply purchase an additional expansion kit containing 60 TB RAW (36 TB usable) capacity and again add up to 5 additional 44 TB (36 TB usable) capacity upgrade kits to complete the second set of drawers for a total capacity of up to 560 TB RAW (432 TB usable). Note that fully expanded the HP StoreOnce 4900 includes 4 drawers of disk (2 drawers in each unit). A fully configured HP StoreOnce 4900 is 12U (or 36 TB per U in terms of density).

Compatibility:

HP extensive compatibility testing program assures that your HP Backup Systems work with leading servers, operating systems, and backup applications, including those not manufactured by HP.



HP StoreOnce 4900 Backup

For compatibility details on specific servers and the latest hardware compatibility information, please refer to: http://www.hp.com/go/ebs

Configuration notes:

- The StoreOnce 4900 can only be installed in racks which provide a distance from the front mounting-rail of the rack to the rear rack-face (the vertical rack surface onto which the rear doors close, the depth of the doors themselves should not be included) of at least 920mm to allow sufficient clearance at the rear for cabling and to allow the hot-swapping of fan modules, PSU modules and I/O modules. Additionally, 35mm of space is required between the front mounting-rail and the nearest point on the inside surface of the front door of the rack to provide sufficient space for the front panels of the system components when the front door is closed.
- HP StoreOnce 4900 Backup systems can be connected to the servers they protect via a 10Gb Ethernet or 8Gb Fibre Channel.
- They are supported on all 10Gb Ethernet network interface cards (NICs) and switches, dependent on product. 1Gb Ethernet network connections are also supported for sites without 10Gb Ethernet networks (with reduced performance)
- HP StoreOnce Backup systems are also supported on 100 base-T Ethernet networks, for connection for the Web GUI and CLI access, such as a management network in a Data Centre.
- This product is not supported on networks using slower Ethernet technology.

Warranty

Hewlett-Packard provides a 1 year parts exchange, 1 year labor, 1 year on site, normal business hours, next business day response for StoreOnce 4500, StoreOnce 4700, StoreOnce 4900 and StoreOnce 6500 Backup systems, plus 9x5 phone support for the duration of the warranty.

Product name	Part-number	Description	Includes
HP StoreOnce 4900 Backup	BB903A	HP StoreOnce 4900 Backup with 60 TB of RAW disk storage	 HP 4900 Backup (15 x 4 TB disks) Ethernet cable(Cat 5e) 3m (x2) 2 x Power cords (with IEC 320 C13 plug for Rack PDU) Installation poster HP StoreOnce Backup CD (contains installation wizard, device drivers, and documentation, all localized in multiple languages)
HP StoreOnce 4900 60TB Drawer/Capacity Upgrade Kit	BB904A	HP 4900 Backup additional drawers and capacity upgrade kit, D6000 base enclosure including additional 60 TB of RAW disk storage	discs, redundant power supplied and
HP StoreOnce 4900 44TB	BB908A	HP 4900 Backup 44 TB Capacity	• 11 x 4 TB disks and entitlement

Purchasing information:



HP StoreOnce 4900 Backup

Capacity Upgrade Kit	Upgrade Kit	certificate

Also refer to Software Options to add licenses for:

- HP StoreOnce Replication
- HP StoreOnce Catalyst
- HP StoreOnce Enterprise Manager
- HP StoreOnce Security Pack



HP StoreOnce 6500 Backup

HP StoreOnce 6500 Backup

shown with initial 120 TB 6500 Backup system with 88 TB Capacity Upgrade Kit in a 42U rack



HP StoreOnce 6500 takes HP StoreOnce to the enterprise, providing disk based backup with deduplication for cost effective, longer term on site data retention and off site disaster recovery. The highest performance HP StoreOnce Backup system, these highly scale-out solutions offer from 72 TB to 1728 TB of usable capacity (120 to 2240 TB RAW) and industry-leading aggregate speeds of up to 139 TB/hr* with StoreOnce Catalyst to match enterprise performance requirements and meet ever shrinking backup windows.

Overview Product Specifications

	StoreOnce 6500
Form Factor	Provided in a 42U rack
Total capacity (raw)	Up to 2240 TB
Total capacity (usable)	Up to 1728 TB
Write performance (max)	63.2 TB/hour
Catalyst performance (max)	139 TB/hour
Max fan-in/backup targets	384

See Performance Specifications, Detailed Technical Specifications and Physical Dimensions later in this document

Special feature: Highly Resilient

HP StoreOnce 6500 is designed with no single point of hardware failure. The hardware of the HP StoreOnce 6500's couplet is resilient to any one component failing. This means the following high availability features:

- Autonomic Restart and node failover
- RAID storage, with RAID6 as the minimum redundancy level (so each RAID set can survive a double disk failure)
- The front-end controllers (nodes) within a couplet are configured in failover mode so that if one controller fails all critical non-replaceable aspects of that controller are transparently moved to another controller and the failed controller is disabled.
- Dual storage controllers (RAID and JBOD), with cache mirroring between the RAID controllers (so that if a controller fails the data is preserved and is still written to media by the other controller)
- Dual paths to the disk drives
- 8 hot spare drives included within each couplet in the event of a disk failure
- Power failure protection for all caching within the storage
- Dual power supplies, such that the hardware will continue operating at full performance if one power supply is offline.



HP StoreOnce 6500 Backup

- Redundant fans, such that the hardware will continue operating at full performance if one fan is offline
- Mirrored system disks in each controller (node) to store the device operating system and software
- Front-end high availability (dual fabric support): each controller will have at least two front-end ports per port type to support the customer's external LAN/SAN fabrics. Thus if any fail there is still full access to every node in the device.
- Hot add additional storage or server nodes without scheduled downtime.
- A single GUI/CLI interface is presented from any one node in the system, if that controller fails then the GUI will automatically move to a different controller whilst still being presented at the same network address.

Scalability

Upgrading with HP StoreOnce 6500:

- Start out with the HP StoreOnce 6500 120 TB system consisting of two nodes connected in failover configuration as a couplet. This is delivered pre-integrated into HP's standard depth 42U racks which also contain the necessary networking capabilities for future expansion within the entire rack using an HP StoreOnce 6500 switch assembly.
- To scale-out in terms of capacity, simply add up to 5 capacity upgrade kits to each couplet. Each upgrade kit comprises 22 disks which are added symmetrically. Each upgrade kit contains 22x 4 TB disks, giving 88 TB RAW capacity (72TB usable), allowing up to a maximum of 560 TB RAW capacity (432 TB usable) associated with the original couplet. Capacity upgrade kits can be added to the couplet while the Backup System is online in order to reduce unnecessary downtime.

A fully configured couplet with 5 capacity upgrade kits, can be managed as a single file system of up to 560 TB RAW capacity (432TB usable), however to optimize performance within a couplet, capacity usage should be balanced across both nodes within a couplet. To scale-out in terms of performance, add in one more HP StoreOnce 6500 120TB system and again scale up by adding capacity upgrade kits. This gives you a maximum configuration of two fully configured HP StoreOnce 6500 120 TB systems of two couplets with a total capacity of 1120 TB RAW capacity (864 TB usable) in a single rack.

To scale-out to 2240TB RAW (1728 TB usable) purchase the HP StoreOnce 6500 120TB Backup for extra Racks (contains additional base couplet, switch, cables and pulls in another 42U rack), and populate as before.

Upgrading an existing HP StoreOnce B6200:

Customers who have already invested in the HP StoreOnce B6200 are still able to expand their storage to its full capacity of 768 TB RAW (512 TB usable) by purchasing additional capacity upgrade kits

- To scale out in terms of capacity, simply add up to 3 capacity upgrade kits to each couplet for a maximum of 192 TB RAW capacity (128 TB usable) per couplet. A fully configured couplet with 3 capacity upgrade kits, can be managed as a single file system of up to 192 TB RAW capacity (128 TB usable), however to optimize performance within a couplet, capacity usage should be balanced across both nodes within a couplet.
- To scale-out in terms of performance, add in one more HP StoreOnce B6200 48 TB system and again scale up by adding capacity upgrade kits. This gives you a maximum configuration of two fully configured HP StoreOnce B6200 48 TB system of two couplets with a total capacity of 384 TB RAW capacity (256 TB usable) in a single rack.

To scale-out to 768 TB RAW (512 TB usable) purchase a second rack with expansion switch assembly, and populate as before.

Expanding an existing StoreOnce B6200 by adding StoreOnce 6500 couplet(s) via mixed couplet support:

- Facilitates expanding an existing 1 to 3 couplet B6200 configuration
- Existing B6200 does not have to be fully populated with capacity upgrades



HP StoreOnce 6500 Backup

- Existing configuration can be expanded to currently supported maximum of 4 couplets
- Existing B6200 system needs to be on 3.11.3 firmware as a minimum
- Use the table below to determine what components are necessary to complete the expansion (note that the 6500 couplets can be expanded beyond their initial capacity as usual by ordering the 6500 capacity upgrade kit BB899A 88TB Capacity Upgrade Kit).

	ting uration	Upgrade	SKUs Required				
B6200 Couplet(s)	6500 Couplet(s)	Adding 6500 couplet(s)	BB897A For existing racks	BB897A#0D1 For existing racks, factory integrated	BB900A For extra racks	BB902A Mixed couplet interlink cable kit	BB912A Mixed couplet SFP kit
1	0	1	1	0	0	0	1
1	0	2	1	0	1	1	0
1	0	3	1	1	1	1	0
2	0	1	0	0	1	1	0
2	0	2	0	1	1	1	0
3	0	1	1	0	0	0	1
1	1	1	0	0	1	1	0
1	1	2	0	1	1	1	0
1	2	1	1	0	0	0	0
2	1	1	1	0	0	0	0

See purchasing information and configuration notes for more detail.

Compatibility:

HP extensive compatibility testing program assures that your HP Backup Systems work with leading servers, operating systems, and backup applications, including those not manufactured by HP.

For compatibility details on specific servers and the latest hardware compatibility information, please refer to:



HP StoreOnce 6500 Backup

http://www.hp.com/go/ebs

Warranty

Hewlett-Packard provides a 1 year parts exchange, 1 year labor, 1 year on site, normal business hours, next business day response for StoreOnce 4500, StoreOnce 4700, StoreOnce 4900 and StoreOnce 6500 Backup systems, plus 9x5 phone support for the duration of the warranty.

Purchasing information:

Product name	Part-number	Description	Includes
HP StoreOnce 6500 120TB for Initial Rack	BB896A	HP StoreOnce 6500 Backup with 120 TB of RAW disk storage	 HP 6500 Processing Nodes (2) HP 6500 Switch kit HP 6500 Storage Drawers (2)(each with 15* 4 TB HDDs) 4 x 0.5m Mini SAS cables 8 x 2m SAS-HD to Mini SAS cables 16 x Power cords (with IEC 320 C13 plug for Rack PDU) 1x Network Cable loom
HP StoreOnce 6500 88TB Capacity Upgrade Kit	BB899A	HP StoreOnce 6500 88 TB upgrade kit, offering additional 88 TB of RAW disk storage	 22 * 4 TB HDDs HP 6500 88TB Capacity Upgrade License Entitlement Certificate
HP StoreOnce 6500 120TB for Existing Rack	BB897A	HP StoreOnce 6500 Backup with 120 TB of RAW disk storage	 HP 6500 Processing Nodes (2) HP 6500 Switch kit HP 6500 Storage Drawers (2)(each with 15* 4 TB HDDs) 4 x 0.5m Mini SAS cables 8 x 2m SAS-HD to Mini SAS cables 16 x Power cords (with IEC 320 C13 plug for Rack PDU) 1x Network Cable loom
HP StoreOnce 6500 120TB for Extra Racks	BB900A	HP StoreOnce 6500 Backup with 120 TB of RAW disk storage	 HP 6500 Processing Nodes (2) 4 x 0.5m Mini SAS cables 8 x 2m SAS-HD to Mini SAS cables 16 x Power cords (with IEC 320 C13 plug for Rack PDU)
HP StoreOnce B6200 to 6500 Interlink Kit	BB902A	Cables required to implement mixed couplet support between currently installed B6200 and 6500	 8 x 15m optical cables 4 x 10GbE SFP+ transceivers (part number JD092B)
HP StoreOnce 6500 Mixed Couplet SFP Kit	BB912A	SFPs required to connect an HP StoreOnce 6500 Couplet (BB897A) into an existing HP StoreOnce B6200 installation to create a	• 4 x 10GbE SFP+ transceivers (part number J9150A)



HP StoreOnce 6500 Backup

Mixed Couplet.			
----------------	--	--	--

Also refer to Software Options

HP StoreOnce 6500 Detailed Performance Specifications

	StoreOnc	e 6500 maximum RAW ca	ipacity TB	
	1 couplet	2 couplet	3 couplet	4 couplet
Base storage	120	240	360	480
1 * 88 TB expansion kit	208	416	624	832
2 * 88 TB expansion kit	296	592	888	1184
3 * 88 TB expansion kit	384	768	1152	1536
4 * 88 TB expansion kit	472	944	1416	1888
5 * 88 TB expansion kit	560	1120	1680	2240
NOTE: A maximum of 5 ex	pansion kits can be used p	er couplet.		
	StoreOnce	e 6500 maximum usable c	apacity TB	
	1 couplet	2 couplet	3 couplet	4 couplet
Base storage	72	144	216	288
1 * 88 TB expansion kit	144	288	432	576
2 * 88 TB expansion kit	216	432	648	864
3 * 88 TB expansion kit	288	576	864	1152
4 * 88 TB expansion kit	360	720	1080	1440
5 * 88 TB expansion kit	432	864	1296	1728
StoreOr	nce 6500 with Data Dedu	lication (usable capacity	using data deduplication a	t 20:1*)
	1 couplet	2 couplet	3 couplet	4 couplet
Base storage	1440	2880	4320	5760
1 * 88 TB expansion kit	2880	5760	8640	11520
2 * 88 TB expansion kit	4320	8640	12960	17280
3 * 88 TB expansion kit	5760	11520	17280	23040
4 * 88 TB expansion kit	7200	14400	21600	28800
5 * 88 TB expansion kit	8640	17280	25920	34560
NOTE: Actual results of da	ta deduplication will vary	with data type, change rat	tes over time and backup n	nethodologies used.
A maximum of 5 expansion				
Sto	preOnce 6500 Performant	:e *(maximum aggregated	data transfer rate using V	TL)
	1 couplet	2 couplet	3 couplet	4 couplet
Write Performance	15.8 TB/hr	31.6 TB /hr	47.4 TB /hr	63.2 TB /hr
Read Performance	18.8 TB/hr	37.6 TB /hr	56.4 TB /hr	75.2 TB /hr
StoreOnce 6500 v	vith StoreOnce Catalyst P	erformance*(maximum a	aggregated data transfer ra	ate using Catalyst)
	1 couplet	2 couplet	3 couplet	4 couplet
	34.8 TB/hr	69.6 TB /hr	104.4 TB /hr	139.2 TB /hr

of devices emulated and number of concurrent tasks, such as housekeeping or replication.

Configuration notes: Sizing the StoreOnce 6500:

HP StoreOnce 6500 Backup

- The HP Storage Sizer tool must be used to correctly size a deduplication and replication enabled system
- To optimize capacity utilization and in accordance with performance requirements, your capacity requirements should be planned following Recommended Configuration Guidelines. Please refer to the latest Concepts and Configuration Guide for more information: http://h20565.www2.hp.com/portal/site/hpsc/public/psi/manualsResults/?sp4ts.oid=5196525

Rack-configuring the StoreOnce 6500:

- The StoreOnce 6500 is mandatory factory integrated and shipped in a 42U rack
 - It can be re-racked, subject to a number of constraints.
 - Splitting the switch, server and\or storage of a 6500, between racks is not supported.
 - A minimum contiguous space of 18U is required to house a couplet and its associated switches.
 - If a customer does choose to re-rack, then future storage and\or couplet expansion must be taken into account and additional contiguous rack space allowed.
 - Full details of the re-racking constraints and process are available please ask your sales representative or partner for details.
- To configure the StoreOnce 6500 use the steps below as a guide, but to place actual orders use Watson and CLIC to configure a system.
 - This is especially true for the customers 1st or 3rd 6500 which require mandatory factory express integration of the 6500 couplet and required switch kit into the 42U rack that does not need to be ordered separately, but is automatically added to the order configuration when the associated BB896A or BB900A SKU's are ordered.
 - When wishing to expand an existing system, the customers 2nd or 4th 6500 couplet (BB897A) is not factory integrated and can be ordered without the #OD1 option, as the 1st and 3rd 6500 couplets are already housed in the 42U racks and have been factory integrated with switch kits
- It is NOT possible to order BB897A or BB900A without first ordering BB896A. It is NOT possible to order BB896A without the factory integrated rack (BW904A)
- Option #0D1 must be added to products listed for essential factory integration, i.e. BB896A HP StoreOnce 6500 120TB for Initial Rack and\or BB900A HP StoreOnce 6500 120TB for Extra Racks

	Couplet 1	Couplet 2	Couplet 3	Couplet 4	
		120TB for Initial Rack 396A	HP StoreOnce 6500 120TB for Extra Racks BB900A		
	Automatically added to Config when BB896A ordered	If required, order BB897A HP StoreOnce 6500 120TB for Existing Rack	Automatically added to Config when BB900A ordered	If required, order BB897A HP StoreOnce 6500 120TB for Existing Rack	
Add capacity	BB899A	BB899A	BB899A	BB899A	
Add capacity	BB899A	BB899A	BB899A	BB899A	
Add capacity	BB899A	BB899A	BB899A	BB899A	
Add capacity	BB899A	BB899A	BB899A	BB899A	
Add capacity	BB899A	BB899A	BB899A	BB899A	
HP 6000 StoreOnce Replication License	Qty 1 - EJ026A\AAE	Qty 1 - EJ026A\AAE	Qty 1 - EJO26A\AAE	Qty 1 - EJ026A\AAE	
HP 6000 StoreOnce Encryption License	Qty 1 - BB894A\AAE	Qty 1 - BB894A\AAE	Qty 1 - BB894A\AAE	Qty 1 - BB894A\AAE	

Factory Integrated Cluster:



HP StoreOnce 6500 Backup

HP 6000 StoreOnce Catalyst License	Qty 1 - BB895A\AAE			
---------------------------------------	--------------------	--------------------	--------------------	--------------------

Factory Integrated Cluster - Additional Form Factors

	Couplet 1	Couplet 2	Couplet 3	Couplet 4		
	HP StoreOnce 6500 1	20TB for Initial Rack	HP StoreOnce 6500 120TB for Extra Racks BB900A			
	BB8	96A				
Couplet	18U	16U	18U	16U		
Add capacity	N/A	N/A	N/A	N/A		
Add capacity	N/A	N/A	N/A	N/A		
Add capacity	N/A N/A		N/A	N/A		
Add capacity	N/A	N/A	N/A	N/A		
Add capacity	N/A	N/A	N/A	N/A		
NOTE: Capacity additions a	re housed within the exist	ing Couplet footprint thus	require no additional rack	space		
HP 642 1075mm Shock	42	U	42	20		
Intelligent Series Rack						

Software Options

HP StoreOnce Catalyst

HP StoreOnce Catalyst brings to fruition the HP StoreOnce vision of seamless movement of deduplicated data across the enterprise. This is enabled by the single, integrated enterprise-wide deduplication algorithm. This means that you can benefit from:

- StoreOnce Federated Catalyst (under registered release, see your HP representative or reseller if interested) allows Catalyst stores to span nodes on a multi-node system to create fewer, larger stores which simplifies backup management in large environments, yet continues to provide high resiliency and optimize performance
- Catalyst over Fibre Channel (under registered release, see your HP representative or reseller if interested) provides all the ISV control and source side deduplication benefits of current StoreOnce Catalyst but via your Fibre Channel fabric meaning you don't have to invest in additional infrastructure
- Simplified management of data movement from a single pane of glass: tighter integration with your backup application to centrally manage file replication across the enterprise.
- Seamless control across complex environments: supporting a range of flexible configurations that enable the concurrent movement of data from one site to multiple sites, and the ability to cascade data around the enterprise (sometimes referred to as multi-hop).
- Enhance performance: distributed deduplication processing using StoreOnce Catalyst stores on the StoreOnce Backup systems and on multiple servers can optimize loading and utilization of backup hardware, network links and backup servers for faster deduplication and backup performance.
- Faster time to backup to meet shrinking backup windows: up to 139 TB/hour* aggregate throughput.

*Actual performance is dependent upon configuration data set type, compression levels, number of data streams, number of devices emulated and number of concurrent tasks, such as housekeeping or replication.

Ordering Information

HP StoreOnce Catalyst is available by electronic license for customers of any of the latest HP StoreOnce Backup systems with a wide range of backup applications via http://www.webware.hp.com.

Model / license for	StoreOnce License/E-LTU	Part number		
HP StoreOnce 6500	E-LTU	BB895AAE		
	LTU	BB895A		
HP StoreOnce 4900	E-LTU	BB906AAE		
	LTU	BB906A		
HP StoreOnce 4700	E-LTU	BB889AAE		
	LTU	BB889		
HP StoreOnce 4500	E-LTU	BB888AAE		
	LTU	BB888A		
HP StoreOnce 2700	E-LTU	BB887AAE		
	LTU	BB887A		

NOTE: HP StoreOnce VSA license already includes StoreOnce Catalyst. No additional license required.



Software Options

Configuration notes

- A StoreOnce Catalyst license is required for each appliance that will host Catalyst Stores. The license enables backup and copy to Catalyst Stores on the appliance.
- There is no need to purchase a replication license when using StoreOnce Catalyst Copy. However, if VTL or NAS replication is configured on the same appliance, a replication license will be required for each target appliance.
- Every StoreOnce Backup system (and 6500 couplet) that uses StoreOnce Catalyst requires a license
- StoreOnce Catalyst also provides seamless control of data movement across the organization and better utilization of servers, network bandwidth.
- StoreOnce Catalyst is supported by:
 - HP Data Protector
 - Symantec NetBackup (via an HP OST plugin)
 - Symantec Backup Exec (via an HP OST plugin)
 - Oracle RMAN (via an HP plugin)
 - BridgeHead Software.

HP's data replication feature includes replication bandwidth limiting functionality, constraining the amount of bandwidth being used when replicating data for even more network-efficient replication. Without replication bandwidth limiting, a replication job could use as much bandwidth as is available, potentially making other network activities unresponsive. Replication bandwidth limiting is customer configurable at the appliance level via the graphical user interface and is set as a percentage of the available network bandwidth.

Ordering Information

HP delivers replication by license, either as a standalone replication solution, or as part of the HP StoreOnce Catalyst licensing. With HP StoreOnce Backup, replication is licensed by VTL/NAS target, this means that with one replication license:

Model / license for	Max number of targets supported	Replication License/E-LTU	Part number		
HP StoreOnce 6500	384	E-LTU	EJ026AAE		
		LTU	EJ0206A		
HP StoreOnce 4900	50	E-LTU	BB905AAE		
		LTU	BB905A		
HP StoreOnce 4700	50	E-LTU	BB886AAE		
		LTU	BB886A		
HP StoreOnce 4500	24	E-LTU	BB885AAE		
		LTU	BB885A		
HP StoreOnce 2700	8	E-LTU	BB884AAE		
		LTU	BB884A		



QuickSpecs

Software Options

	NOTE: HP StoreOnce VSA license already includes replication. No additional license required.							
	 Replication licenses enable an appliance to host replication target libraries. (No license is required for appliances which only act as replication sources) Licensing is "per appliance" i.e. a single license is required to enable an appliance to host as many replication target libraries as it is capable of. For the 6500 a separate license is required per couplet (EJ026A or EJ026AAE) No license is required for StoreOnce VSA to act as a replication target Licenses are delivered via www.webware.hp.com and are node-locked by appliance serial number (and are not transferable) This account license also provides authorization to download the HP OST Plug-in which enables NetBackup to manage deduplicated replication between appliances. Two replication licenses are required to use the OST Plug-in. 							
HP StoreOnce Enterprise Manager	HP StoreOnce Enterprise Manager (SEM) is a centralized management console to analyze up to 400 physical and virtual StoreOnce devices across multiple sites. It provides advanced monitoring, reporting, and forecasting and trend analysis in NAS, VTL, and StoreOnce Catalyst environments and integrates with the StoreOnce GUI for single pane-of-glass management - for both physical appliances and the StoreOnce VSA.							
	In particular, StoreOnce VSA customers can benefit from centralized deployment of StoreOnce VSA through SEM remotely.							
	Specifically, SEM provides granular reporting and trends analysis of vital parameters such as disk capacity utilization, deduplication ratios, and performance and helps customers plan ahead by providing forecasts of disk usage and replication duration. All reports and graphs can be exported in CSV or PNG formats for further analysis. Users can also schedule e-mail reports for alerts and notifications, such as when pre-set capacity thresholds are crossed. SEM is supported on 64 bit machines only. StoreOnce Enterprise Manager software is available as a free download from the HP kiosk.							
	In order to benefit from StoreOnce Enterprise Manager, StoreOnce Backup systems require the latest firmware, which can be obtained via a free firmware upgrade by following the "Support & Drivers" link on www.hp.com/go/storeonce or by following the "HP Support & Drivers" link from: www.hp.com							
	StoreOnce Enterprise Manager can be obtained free of charge from hp.com/kiosk (click here for more details).							
HP StoreOnce Security Package	The HP StoreOnce Security Package delivers a Data at Rest and Data in Flight encryption solution and secure Data Shredding features for data privacy, confidentiality, and integrity of your critical business data while supporting compliance requirements. These are configurable on a by application or by store basis ensuring that you have maximum control over the data you are protecting							
	HP StoreOnce Data at Rest encryption feature is a software-based solution which provides protection against unauthorized access to data through a stolen, discarded or replaced disk.							
	Encryption occurs after data has been deduplicated and prior to writing the data onto disk							



Software Options

Encryption is enabled on a per store basis (StoreOnce Catalyst, VTL, and NAS targets)

Meets compliance needs using industry standard Advanced Encryption Standard (AES)-256 encryption algorithm

Standard FIPS 140-2 level 1 capable

Local Key Management is included with 1 key per store and the ability to backup and restore keys

HP StoreOnce Data in Flight encryption feature protects against unauthorized access of data being transferred over the wire between devices.

Encryption is enabled via the operating system utilizing IPSec. At this point, Data in Flight encryption via IPSec is supported on StoreOnce Catalyst only. In addition, write performance may be impacted, however performance improvements should be seen after first ingest.

Works between client and StoreOnce device or between StoreOnce devices

HP StoreOnce Secure Erase feature protects against unauthorized recovery of deleted data by allowing customers to securely and permanently shred confidential data.

Secure Erase can be carried out on all data backed up to a VTL, NAS or StoreOnce Catalyst Store

The HP StoreOnce Secure Erase feature meets industry standards of NIST SP 800-88

Secure Erase can erase with 1 pass or multiple random overwrites of 3, 5 or 7 passes

Ordering Information

An HP StoreOnce Security Pack license (2600, 2700, 4200, 4400, 4500, 4700, 4900, B6200, 6500) is required for each appliance .The StoreOnce Security Pack license for the 6000 is required per couplet. A 90 day trial license is available. Each license includes HP StoreOnce Data at Rest, Data in Flight Encryption and Secure Erase. See 'Acquiring Software' for more details of how to obtain your Security Pack licenses.

Model / license for	Security Pack License/E-LTU	Part number
HP StoreOnce 6500	E-LTU	BB894AAE
	LTU	BB894A
HP StoreOnce 4900	E-LTU	BB907AAE
	LTU	BB907A
HP StoreOnce 4700	E-LTU	BB893AAE
	LTU	BB893A
HP StoreOnce 4500	E-LTU	BB892AAE
	LTU	BB892A
HP StoreOnce 2700	E-LTU	BB891AAE
	LTU	BB891A



Software Options

How to acquire StoreOnce Enterprise Manager, OST or RMAN plug-ins

The StoreOnce OST plug-ins, RMAN plug-ins and StoreOnce Enterprise Manager are acquired at zero cost using the following process:

- Go to www.software.hp.com/kiosk.
- Login: STOREONCE_KIOSK
- Password: STOREONCEAPPS
- Select 'StoreOnce Free Software'.
- Read the information on the software you wish to acquire.
- Select the 'Receive for Free' button at the bottom of the page.
- Enter the HP Passport credentials. If you do not have a HP Passport account you need to create one. HP Passport is a single logon to access multiple HP resources. Sign-up is fast and free.
- Review the contact and shipment details on the 'StoreOnce Free Software' page. Review and complete the 'License terms' section. Select the 'Next' button.
- Select the software you wish to receive from the 'Electronic downloads' list. Select 'Download' to download the software.



Cabling and other options

Optional second PSU for StoreOnce 2700	HP 460W Common Slot Platinum Plus Hot Plug Power Supply Kit	656362-B21
HP 10GbE Connectivity	The following cables are recommended for HP 10GbE connectivity. NOTE: 10GbE SFPs are included in 4500, 4700 and 4900, but should be purchased separately for the 6500 or previous version of StoreOnce products.	
10GbE Fibre Optic Modules	HP BladeSystem c-Class 10Gb SFP+ SR Transceiver NOTE: Fibre transceivers and cables must be purchased separately for 6500 fibre- optic environments - 4 transceivers are required for each couplet.	455883-B21
HP ProCurve 10GbE Connectivity	The following cables are recommended for 10GbE connectivity with HP ProCurve network switches.	
Direct Attach Copper	HP X242 10G SFP+ to SFP+ 1m Direct Attach Copper Cable	J9281B
Cables	HP X242 10G SFP+ to SFP+ 3m Direct Attach Copper Cable	J9283B
	HP X242 10G SFP+ to SFP+ 7m Direct Attach Copper Cable	J9285B
	HP X244 10G XFP to SFP+ 1m Direct Attach Copper Cable	J9300A
	HP 10G X244 XFP to SFP+ 3m Direct Attach Copper Cable	J9301A
	NOTE: Direct Attach Cable (DAC) must be purchased separately for copper environments.	
Fiber Optic Cables	PremierFlex OM4 FC cables	
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 1m Cable	QK732A
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 2m Cable	QK733A
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 5m Cable	QK734A
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 15m Cable	QK735A
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 30m Cable	QK736A
	HP Premier Flex LC/LC Multi-mode OM4 2 fiber 50m Cable	QK737A
	OM3 FC cables	
	HP LC to LC Multi-mode OM3 2-Fiber 0.5m 1-Pack Fiber Optic Cable	AJ833A
	HP LC to LC Multi-mode OM3 2-Fiber 1.0m 1-Pack Fiber Optic Cable	AJ834A
	HP LC to LC Multi-mode OM3 2-Fiber 2.0m 1-Pack Fiber Optic Cable	AJ835A
	HP LC to LC Multi-mode OM3 2-Fiber 5.0m 1-Pack Fiber Optic Cable	AJ836A
	HP LC to LC Multi-mode OM3 2-Fiber 15.0m 1-Pack Fiber Optic Cable	AJ837A
	HP LC to LC Multi-mode OM3 2-Fiber 30.0m 1-Pack Fiber Optic Cable	AJ838A
	HP LC to LC Multi-mode OM3 2-Fiber 50.0m 1-Pack Fiber Optic Cable	AJ839A
	NOTE: Fibre transceivers and cables must be purchased separately for Fibre-optic environments. For additional information on 10Gb cable specifications go to: http://www.hewlett-packard.com/rnd/pdfs/10gig_cabling_technical_brief.pdf	
Fiber Optic Cables	The following cables are available for connectivity with other 10GbE switch environments	
	HP LC to LC Multi-mode OM3 2-Fiber 0.5m 1-Pack Fiber Optic Cable	AJ833A
	HP LC to LC Multi-mode OM3 2-Fiber 1.0m 1-Pack Fiber Optic Cable	AJ834A
	HP LC to LC Multi-mode OM3 2-Fiber 5.0m 1-Pack Fiber Optic Cable	AJ836A
	HP LC to LC Multi-mode OM3 2-Fiber 15.0m 1-Pack Fiber Optic Cable	AJ837A



Cabling and other options

HP LC to LC Multi-mode OM3 2-Fiber 30.0m 1-Pack Fiber Optic Cable	AJ838A
HP LC to LC Multi-mode OM3 2-Fiber 50.0m 1-Pack Fiber Optic Cable	AJ839A
NOTE: Fibre transceivers and cables must be purchased separately for fiber-optic	
environments.	



Detailed Technical Specifications

	StoreOnce VSA 4 TB	StoreOnce VSA 10 TB	StoreOnce 2700	StoreOnce 4500	StoreOnce 4700	StoreOnce 4900	StoreOnce 6500			
Form Factor	Virtual appliance	Virtual appliance	1U Rack	2U to 8U scalable rack	4U scalable rack	7 to 12U scalable rack	Provided in 42U 1075mm rack			
Total Capacity (RAW)	1 to 4 TB	1 to 10 TB	8 TB	Up to 168 TB	Up to 192 TB	Up to 560 TB	Up to 2240 TB			
Total Capacity (Usable)	1 to 4 TB	1 to 10 TB	5.5 TB	Up to 124 TB	Up to 160 TB	Up to 432TB	Up to 1728TB			
Data retention with deduplication	80 TB	200 TB	110 TB	2.48 PB	3.2 PB	8.6 PB	34 PB			
Fan-in Max	1	1	8	24	50	50	384			
Write Performance	300 GB/hr	300 GB/hr	1.3 TB/hr	5.4 TB/hr	7.6 TB/hr	8.5 TB/hr	63.2 TB/hr			
(max aggregated data transfer rate using VTL)										
Read Performance	225 GB/hr	225 GB/hr	700 GB/hr	3.5TB/hr	9.0 TB/hr	10.1 TB/hr	75.2 TB/hr			
(max aggregated data trans	fer rate using V									
StoreOnce Catalyst Performance	500 GB/hr	500 GB/hr	3.7 TB/hr	14TB/hr	22 TB/hr	22 TB/hr	139.0 TB/hr			
(max aggregated data trans	fer rate)									
Targets for backup applications			HP	700, 4500, 470 StoreOnce Cata Ial Tape Library CIF	lyst,	HP StoreOn Virtual Tape	, 6500 ice Catalyst, Library (VTL) AS			
Device Interfaces	2 x 1GbE vNICs (min)	2 x 1GbE vNICs (min)	4 x 1 Gb Ethernet	2 x 8 Gb Fibre Channel, 2 x 10 Gb Ethernet, 4 x 1 Gb Ethernet	4x 8 Gb Fibre Channel, 2 x 10 Gb Ethernet, 4 x 1 Gb Ethernet	4x 8Gb Fibre Channel, 4x 1Gb Ethernet, 4x10Gb Ethernet	8x 8Gb Fibre Channel, 8 x 1Gb Ethernet, 4 x10Gb Ethernet Per Couplet			
Disk drives	n/a	n/a	2 TB, SAS 7200rpm, 3.5-inch	2 TB, SAS 7200rpm, 3.5-inch	2 TB, SAS 7200rpm, 3.5-inch	4TB, SAS 7200rpm, 3.5-inch	4TB, SAS 7200rpm, 3.5-inch			
Number of Disk Drives	1 vDisk per TB of usable capacity	1 vDisk per TB of usable capacity	4	12 (min), 12x2 (max)	12 (min), 12x 8 (max)	15 (min), 140 (max)	30 (min), 560 (max)			
RAID Support	n/a	n/a	Hardware RAID 5	Hardware RAID 6	Hardware RAID 6	Hardware RAID 6	Hardware RAID 6			
Total number of backup targets	1	1	8	24	50	50	384			
StoreOnce Catalyst, Virtual T	Tape Libraries a	nd NAS backup	targets comb	ined						
Max Number of Cartridges	768	768	768	24,576	204,800	819,200	6,553,600			



Detailed Technical Specifications

Emulated

Power Requirements per

 Range input voltage Rated input frequency Rated input 	n/a n/a n/a	n/a n/a n/a	100 to 120 VAC 200 to 240 VAC 50 to 60 Hz 4.5 A	100 to 120 VAC 200 to 240 VAC 50 to 60 Hz 4.5 A	100 to 120 VAC 200 to 240 VAC 50 to 60 Hz 10 A	See table below	See table below
current			(at 120VAC) 2.2 A (at 240 VAC)	(at 120VAC) 2.2 A (at 240 VAC)	(at 100 VAC) 4.9 A (at 200 VAC)		
Heat dissipated BTU	n/a	n/a	1773 BTU/hr (at 120 VAC) 1715 BTU/hr (at 240 VAC)	2925 BTU/hr (at 100 VAC) 2812 BTU/hr (at 200 VAC)	(at 100 VAC)	See table below	See table below
Rated steady-state power and max peak power	n/a	n/a	460 W (at 100 to 120 VAC) 460 W (at 200 to 240 VAC)	750 W (at 100 to 120 VAC) 750 W (at 200 to 240 VAC)	800 W (at 100 VAC)900 W (at 120 VAC) 1200 W (at 200 to 240 VAC)		
Idle (disks spinning)	n/a	n/a	LWAd 5.9B LpAm 41.6dBA	LWAd 5.1B LpAm 35dBA	LWAd 5.1B LpAm 35dBA		
Operating (random seeks to disks)	n/a	n/a	LWAd 5.9B LpAm 41.6dBA	LWAd 5.1B LpAm 35dBA	LWAd 5.1B LpAm 35dBA		

Power requirements for StoreOnce 4900

Input Voltage	208V					220V				240V			
	A	W	VA	BTU/hr	Α	W	VA	BTU/hr	A	W	VA	BTU/hr	
Base configuration (1 drive enclosure) (total 15 drives)	6.7	1374	1384	4989	6.3	1373	1385	4987	5.8	1373	1387	4987	
Expansion 1 (total 26 drives)	7.2	1490	1504	5427	6.8	1490	1503	5425	6.3	1490	1505	5425	
Expansion 2 (total 37 drives)	7.8	1607	1619	5866	7.4	1606	1621	5863	6.8	1606	1623	5863	
Expansion 3 (total 48 drives)	8.3	1724	1737	6304	7.9	1723	1739	6302	7.3	1723	1741	6302	
Expansion 4 (total 59 drives)	8.9	1841	1854	6743	8.4	1840	1857	6740	7.7	1840	1859	6740	
Expansion 5 (total 70 drives) (Max)	9.5	1957	1972	6683	9	1957	1975	6680	8.2	1957	1977	6680	
Expansion 6	13.8	2844	2866	10010	13	2843	2869	10008	12	2843	2872	10008	



Detailed Technical Specifications

(additional drive enclosure) (total 85 drives)												
Expansion 7 (total 96 drives)	14.3	2960	2983	10448	13.6	2956	2987	10446	12.5	2956	2990	10446
Expansion 8 (total 107 drives)	14.9	3077	3100	10887	14.1	3076	3105	10884	13	3076	3108	10884
Expansion 9 (total 118 drives)	15.5	3194	3218	11325	14.6	3193	3222	11323	13.4	3193	3226	11323
Expansion 10 (total 129 drives)	16	331	3336	11764	15.2	3310	3340	11761	13.9	3310	3344	11761
Expansion 11 - Maximum Capacity (total 140 drives)	16.6	3427	3453	11704	15.7	3427	3458	11701	14.4	3427	3462	11701

Power requirements for StoreOnce 6500

Input Voltage		20	98V			22	ov			24	ov	
	Α	W	VA	BTU/hr	A	W	VA	BTU/hr	A	W	VA	BTU/hr
1st-couplet base configuration (total 30 drives)	16.9	3479	3505	1247	15.9	3478	3510	12471	14.6	3478	3513	12471
Expansion 1 (total 52 drives)	18.0	3713	3741	13353	17.0	3711	3745	13348	15.6	3711	3750	13348
Expansion 2 (total 74 drives)	19.1	3946	3976	14230	18.1	3945	3981	14225	16.6	3945	3985	14225
Expansion 3 (total 96 drives)	20.2	4180	4211	15106	19.2	4178	4217	15101	17.6	4178	4221	15102
Expansion 4 (total 118 drives)	21.4	4413	4446	15983	20.2	4412	4452	15978	18.6	4412	4457	15978
Expansion 5 (total 140 drives) (Max)	22.5	4647	4682	16860	21.3	4645	4688	16855	19.6	4645	4693	16855
2nd-couplet base configuration (assuming 1st couplet at full capacity) (total 30 drives)	35.8	7394	7449	25841	33.9	7391	7459	25831	31.1	7391	7467	25832
Expansion 1 (total 52 drives)	36.9	7627	7685	26718	35.0	7624	7694	26708	32.1	7624	7703	26708
Expansion 2 (total 74 drives)	38.1	7861	7920	27595	36.0	7858	7930	27585	33.1	7858	7939	27585
Expansion 3 (total 96 drives)	39.2	8094	8155	28472	37.1	8091	8166	28462	34.1	8091	8175	28462
Expansion 4 (total	40.3	8328	8390	29349	38.2	8325	8401	29338	35.1	8325	8411	29339



Detailed Technical Specifications

118 drives)

Expansion 5 (total	41.5	8561	8626	30225	39.3	8558	8637	30215	36.0	8558	8647	30216
140 drives) (Max)												

Physical Dimensions

Please refer to refer to the latest Concepts and Configuration Guide for more information: http://h20565.www2.hp.com/portal/site/hpsc/public/psi/manualsResults/?sp4ts.oid=5196525

StoreOnce Backup system:		2700	4500)	4700	4900	6500 120TB for Initial Rack			
	Form factor	1U	20		4U	7U	42U			
Dimensions	Out of box	17.1 x 29.5 1.7 in (43.47 74.67 x 4.3 cm)	′x 3.44 in (4			17.6 x 35.1 x 12.2 in (44.7 x 89.12 x 30.83 cm)	23.54 x 44.30 x 79.00 in (59.78 x 112.52 x 200.66 cm)			
	Shipping	23.6 x 35.4 10.2 in (60 x x 26 cm)		0 x 96 20.3	5 x 38.6 x in (60 x 98 1.4 cm)	24.1 x 43 x 31.9 in (61 x 109 x 81 cm)	35.43 x 50.87 x 85.35 in (90 x 129.20 x 216.80 cm)			
Weight	Out of box	45.6 lb (20.7	kg) 61.00 lb kg)	(27.7 91.01	b (41.2 kg)	249.28 lb (113 kg)	953 lb (433 kg)			
	Shipping	70.1 lb (31.8	kg) 85.5 lb (38	3.8 kg) 134 l	o (60.9 kg)	297.62 lb (135 kg)	1162 lb (528 kg)			
Environmental	Operating temperature	304.8 m (1.8 ft), no dire	3°F per every 1 ect sustained :	000 ft) abov sunlight. Max vy be reduced	e sea level t imum rate	ude derating of 1 to a maximum of of change is 10°C g with a fan fault	3048 m (10,000 /hr (18°F/hr).			
	Shipping temperature	hipping -30° to 60°C (-22° to 140°F). Maximum rate of change is 20°C/hr (36°F/hr).								
	Operating humidity	10 to 90% relative humidity (Rh), 28°C (82.4°F) maximum wet bulb temperature, noncondensing.								
StoreOnce Backup Upgrade Kits:		HP StoreOnce 4700 and 4500 24TB Upgrade Kit	HP StoreOnce 4500 48TB Upgrade Kit	HP StoreOnce 4900 60TB Drawer/Ca Upgrade Ki)	ting for Extra				
	Form factor	2U	2U	5U	14U	42U	N/A			
Dimensions	Out of box	17.99 x 22.3 x 3.47 in (45.0 x 56.7 x 8.8 cm)	x 3.47 in	8.8 in (44.7	x 24.3 in (44.7 44.30 x 2 x 79.00 in				
	Shipping	23.4 x 32.2 x	23.4 x 32.2 x	24.1 x 43 x	24.1 x 4	13 x 35.43 x	21.5 x 12.5 x			



Detailed Technical Specifications

		11.2 in (59.4	11.2 in (59.4	21.3 in (61 x	63.8 in (61 x	50.87 x	19.3 in (54.5
		x 81.8 x 28.4	x 81.8 x 28.4	109 x 54 cm)	109 x 162	85.35 in (90 x	x 31.5 x 49
		cm)	cm)		cm)	129.20 x	cm)
						216.80 cm)	
Weight	Out of box	50 lb (22.6	52 lb (23.3	198.68 lb	556.87 lb	953 lb (433	43.56 lb
		kg)	kg)	(90.31 kg)	(253.12 kg)	kg)	(19.8 kg)
	Shipping	69 lb (31.3	71lb (32 kg)	238.78 lb	615.35 lb	1162 lb (528	50.16 lb
		kg)		(108.31 kg)	(279.12 kg)	kg)	(22.8 kg)



Service and Support, HP Care Pack, and Warranty Information

Service and Support, HP Care Pack, and Warranty Information

Services to accelerate time to results

HP Storage Services bring you a rich portfolio of consulting and support services designed to add value to our core storage products and solutions. We have the know-how and experience to put storage technology to work for you. We work closely with you as your strategic partner, leveraging our full services portfolio to make sure that everything works to optimize your enterprise.

Choose from services aligned to our storage product offerings and lifecycle. From mission-critical onsite services to innovative web-based remote support, you choose the precise level of attention and support your business demands.

Discover, plan, and design

Choose from a rich portfolio of services to make the most of HP StoreOnce Storage, so you can efficiently and affordably consolidate, manage, and extract value from unstructured data.

Start here to understand your data protection options. Next, develop a methodical plan and design the optimal HP StoreOnce Storage solution that addresses your unique technology requirements.

HP Backup Recovery Efficiency Analysis - Assessment of how efficiently backup components are being used as the amount of data to be backed up continues to grow exponentially via analysis intelligence and a snapshot of your current backup environment. http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8490ENW.pdf

HP Backup Recovery Impact Analysis - Focus placed on service requirements and design as the key to success for gaining a clear understanding of the role of increasingly diverse data protection strategies. http://h20195.www2.hp.com/V2/GetPDF.aspx/4A44-1175ENW.pdf

HP Backup Recovery Modernization – Initial discovery, interviews, reference architecture design, proposal content development, vendor grading, and final recommendations carried out so as to require minimal resources and locations on your part. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-1199ENW.pdf

Deploy and integrate

Implement HP StoreOnce Storage correctly-right from the start-so you can count on reduced risk and accelerated deployment, while implementing a best-practice configuration from day one. Then move on to proactively leverage products, tools, and technology to avoid problems and optimize performance. In this way, you get the most out of your HP StoreOnce Storage investment, as you keep your staff certified through project-based or residency services.

Installation of StoreOnce VSA and all aspects of the Virtual environment and are a customer responsibility. To configure StoreOnce VSA to act as a replication target or to host Catalyst Stores the appropriate service is required. The HP StoreOnce Data Replication Solution Service is required if the StoreOnce VSA is to act as a replication target. The HP StoreOnce Catalyst Solution Service is required if the StoreOnce VSA is to act as a replication target. The HP StoreOnce Catalyst Solution Service is required if the StoreOnce VSA is to act as a replication target.

HP StoreOnce Data Replication Solution Service - Three levels of service to deliver the right level of business continuity that enables you to easily manage disaster recovery while providing data replication across distances with HP StoreOnce Storage. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-3945ENW.pdf

HP StoreOnce Catalyst Solution Service - Configuration of the best possible performance for HP StoreOnce Catalyst software environments with your choice of three levels of service, based on the complexity of the environment and the level of service



desired. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-4489ENN.pdf

HP StoreOnce Health Check - Proactive review of your HP StoreOnce Storage solution or other HP deduplication systems, including a review of operational, capacity, and performance data so you can rest assured that everything is operating effectively. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-3821ENN.pdf

HP Storage Data Migration Services - End-to-end data migration service providing seamless discovery, assessment, planning, and design, completely customizable to your organization's storage area network or network attached storage environment and using innovative software to help you migrate to HP storage quickly and efficiently. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-0774ENW.pdf

HP Storage and Data Consultant Residency Service - Strategic augmentation of your current environment with HP resources who become your trusted advisor to provide answers that are right for your storage and backup environment. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-9481ENW.pdf

HP Proactive Select - A flexible way to purchase services to fit your environment with an extensive menu of HP Proactive Select event and technical services, such as onsite firmware upgrades, health checks, assessments, and education. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-3842ENW.pdf

Operate and support

Choose the right support to maximize uptime, free up your resources, and achieve improved value-as you get the most out of the existing IT assets while accelerating time-to-revenue. HP Care Pack Services are sold by HP and HP Authorized Service Partners: Services for customers purchasing from HP or an enterprise reseller are quoted using HP order configuration tools. Customers purchasing from a commercial reseller can find HP Care Pack Services at: www.hp.com/go/lookuptool

HP Proactive Care 24x7 - Hardware and software support services designed specifically for your technology with rapid access to Advanced Solution Center Specialists plus firmware and software management and best practice advice http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8855ENW.pdf

HP Proactive Care Personalized Support - An option-if you have HP Proactive Care- to bring increased personalization of the Proactive Care support experience through the assignment of an Account Service Manager (ASM) who provides IT best practice advice to help address IT issues and projects. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-3446ENW.pdf

HP Foundation Care - HP Foundation Care 24x7 connects you to HP 24 hours a day, seven days a week for assistance on resolving issues - hardware onsite response within four hours and software call back within two hours after opening your case. Three years' coverage recommended with HP Care Pack Service.

HP Education Services - Comprehensive training for new, as well as experienced, storage administrators designed to expand your skills and keep you up to speed with the latest storage and virtualization technology from HP Storage. http://education.hp.com/curr-storsan.htm

Optimized Care- delivers best performance and stability through deployment and proactive management practices HP Proactive Care 3 year, 6 hour CTR, 80 HP Proactive Select credits first year (covers 8 days ASM)

Standard Care-maintains high level of uptime, along with expert help to cut the cost and complexity of implementation and support

HP Proactive Care 3 year, 4hr, 24x7, 80 HP Proactive Select credits first year (covers 8 days ASM)



Basic Care-Minimum recommended support

HP Proactive Care 3 year, 4hr, 24x7, 30 HP Proactive Select credits (1 day per year)

Remote Support Automation

HP Insight Remote Support-Available at no additional cost to all warranty, HP Care Pack Service and service agreement customers, uses proven technology to deliver secure, reliable 24x7 remote monitoring, diagnosis and problem resolution. http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-4676ENW.pdf http://h18004.www1.hp.com/products/servers/management/insight-remote-support/overview.html

HP Care Pack Flex Install Startup SKU & option bands 6500 StoreOnce Backup system

		Up to 4-Couplets, Initial Installation	Add-On Couplet without #0D1	Add-On 2 or 3 Couplets with Expansion Rack	Capacity Upgrade
		Same Site	Same Site	Same Site	Same Site
			(Quote qty one for	each additional site)	
Part	Description		Servi	ce SKU	
BB896A	HP StoreOnce 6500 120TB Backup Couplet for Initial Rack	UA12441#5D7			
BB897A	HP StoreOnce 6500 120TB Backup Couplet for Existing Racks	HA124A1#5RZ	HA124A1#5S0		
BB900A	HP StoreOnce 6500 120TB Backup Couplet for Additional Racks			HA124A1#5S1	
BB899A	HP StoreOnce 6500 88TB Capacity Upgrade Kit	-			HA124A1#5S2

Advanced start-up services

HP StoreOnce Catalyst Solution and Replication Solution Services. These are mandatory services included when the appropriate licenses are ordered. They provide a configuration and verification service in the Customer environment to optimize the benefits of deploying Replication and/or Catalyst functionality

HP Care Pack Flex Advanced Install Startup SKU & option bands

HP 6500 StoreOnce Backup system

		Level 1	Level 2	Scope of work			
		Same Site (Q	Same Site (Quote qty one for each additional site)				
Related Licenses	Description	Service SKU (level one required)					



EJ026A/AE HP StoreOnce 6000 Replication LTU (EJ026A/AE)	Data Replication Service	HA124A1#58E	HA115A1#58F	HA115A1#58G
TC397AAE TC396AAE BB895A/AE HP StoreOnce 6000 Catalyst LTU (BB895A/AE)	Catalyst Service	HA124A1#5TY	HA115A1#5TZ	HA115A1#5UO

HP StoreOnce Rack Transition service

This service provides for the re-racking of HP StoreOnce B6200 and 6500 products into a rack other than originally installed in. Per rack - HA124A1#5UK

HP StoreOnce Installation and Startup for single-node products; 2700, 4500, 4700, 4900 (Optional) -

First StoreOnce System - HA124A1 #55Q Additional StoreOnce Systems on same site - HA124A1 #55R Capacity upgrade (non #0D1) - HA113A1 #5KK

Per Event Service - HP StoreOnce System Health Check Service provides an assessment service for up to 2 StoreOnce Backup systems. Comparisons are made between the Customer set up and HP Best Practices and reports provided on how to improve the utilization of the StoreOnce product(s).

HP StoreOnce Health Check Service

http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA4-3821ENW.pdf

		Care Pack	Per Event	Contractual			
Description		Service SKU					
StoreOnce Backup System Health Check Service		HM006A1	HM006AE	HM006AC			
Remote	HP Insight Rei	HP Insight Remote Support: Count on proven technology to deliver secure, reliable 24x7 remote					
Support Tools	monitoring, diagnosis, and problem resolution, all available at no extra charge if you have an						

 port Tools
 monitoring, diagnosis, and problem resolution, all available at no extra charge if you have an existing warranty, service agreement, or HP Care Pack Service with HP.

 http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-4676ENW.pdf

For more information on HP Services and Support

To learn more on HP Storage Services, visit: www.hp.com/services/storage

Or contact your HP sales representative or HP Authorized Channel Partner

Or take a look at the following resources:

- HP StoreOnce Replication Solution Service Sales Brief http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-4540ENW.pdf
- HP StoreOnce Replication Solution Service data sheet http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA4-3945ENW.pdf
- HP StoreOnce Catalyst Solution Service Sales Brief http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA4-4480ENW.pdf



HP StoreOnce Catalyst Solution Service data sheet http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA4-4489ENW.pdf



Summary of Changes

Date	Version History	Action	Description of Change:
15-Sep-2014	From Version 2 to 3	Changed	Update the firmware version number of the 6500 model.
18-Aug-2014	From Version 1 to 2	Changed	Changes were made throughout the Overview, Technical Specifications, and Software Options Sections.
			Product Descriptions Updated.

© Copyright 2014 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

